

Industrial Applications Semiconductor Industry Cylinder Gas Bcl3 Gas Boron Trichloride

Basic Information

. Place of Origin: China . Brand Name: CMC COA · Certification: Model Number: Bcl3 • Minimum Order Quantity: 1kg • Price: US \$18 Cylinder · Packaging Details: • Delivery Time: 15 days Payment Terms: L/C, T/T

• Supply Ability: 300,000tons/year



Product Specification

Product Name: Boron Trichloride

Melting Point: -107.3°C
 Cylinder Pressure: 15MPa/20MPa
 Cylinder Standard: GB/ISO/DOT
 Boiling Point: 12.5°C

• Appearance: Colorless Fuming Liquid Or Gas With A

Pungent

• Valve: Cga660

Model No.: Boron TrichlorideTransport Package: Sea Transportation

• Specification: 40L/47L/50L

• Trademark: CMC

Origin: Suzhou, ChinaHS Code: 2812191090CAS No.: 10294-34-5



More Images







Product Description

Product Description

Boron trichloride, or BCl3, is a chemical compound composed of one boron atom and three chlorine atoms. It belongs to the group of covalent compounds and is known for its strong Lewis acidity. Here are a few key points about BCl3:

Molecular Structure: BCl3 has a trigonal planar molecular geometry. The boron atom is located at the center, and the three chlorine atoms are symmetrically arranged around it.

Physical Properties: BCl3 is a colorless gas with a pungent and irritating odor. Its boiling point is relatively low at around -107 degrees Celsius (-161 degrees Fahrenheit), and it readily evaporates at room temperature.

Lewis Acidity: Boron trichloride is a powerful Lewis acid, meaning it can accept a pair of electrons from a Lewis base. It readily reacts with compounds containing lone pair electrons, such as ammonia (NH3) or water (H2O).

Chemical Reactivity: BCl3 is highly reactive due to the presence of the electron-deficient boron atom. It reacts vigorously with water to produce hydrochloric acid (HCl) and boric acid (H3BO3). It also reacts with alcohols and amines to form alkyl or aryl chlorides.

Industrial Applications: BCl3 has several industrial uses. It is commonly employed as a catalyst in organic synthesis, particularly in the production of polymers and plastics. It is also used in the semiconductor industry for plasma etching and as a dopant in certain processes.

Safety Considerations: Boron trichloride is toxic and corrosive, and it can cause severe burns upon contact with the skin or eyes. It should be handled with caution in a well-ventilated area, and appropriate protective equipment, such as gloves and goggles, should be worn.

Molecular Weight	117.19	Density	1.35Kg/m ³
Melting Point	-107.3ºC	Boiling Point	12.5°C
Appearance	Colorless Fuming Liquid or Gas with a Pungent	Un No.	1741
DOT Class	2.3&8	Valve	CGA660
Cylinder Standard	GB/ISO/DOT	Cylinder Pressure	12.5Mpa/15Mpa/20Mpa
Transport Package	40L,47L,50L	Specification	99.9%
Trademark	CMC	Origin	China
HS Code	2812191090	Production Capacity	300000tons/Year
Detailed Photos			





Specification:

Dot Class: 2.3 State: Liquid Purity: 99.9% UN NO:UN1741 CAS NO: 10294-34-5

Grade Standard: Industrial Grade

Specification 99.9%

Chlorine ≤ 10 ppm

Silicon Tetrachloride≤ 300 ppm

Packaging & Shipping

Cylinder Spec	ifications	Contents
Cylinder Capacity	Valve	Weight
47L	CGA 660	50 kgs

Company

Profile

ShangHai CMC chemical Co.,ltd. is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.



CH3F WF6 SiH4 H₂S F6+Cl2 SiCI4 NH3 NH3 Kr HCI+Ne C3F8 C3F8 **TEOS** SF6 C2 4MS CH4 PH₃

SiH₂ C4F8 CF4

SiF4 **C3H8** CI2

C3H6 DCE BBr3

POCI3 N₂ **SO2**

BCI3 D2 CO2

CH2F2

SiHCI3

AsH3

C2H2

H2Se

HBr

COS

Ar+O2

TMB+H2

He +As

Ge+Se

D+B

CO+NO

TMAI DMZn DEZn

GeH4

C2H6

C2H4

B2H6

GeCl4

Xe+NO

Workshop Display:

HF








Monitor

Laboratory

Equipment









Shipping Methods



Shanghai Kemike Chemical Co.,Ltd





